

## **PART 12 APARTMENT RESIDENTIAL ZONES**

### **1201 RT-2 Townhouse Residential**

#### **(1) Intent**

This zone provides for *townhouse* developments in appropriately zoned residential areas.

#### **(2) Permitted Uses**

*Principal uses*, limited to:

- (a) Residential limited to:
  - (i) *One-family residential*, as limited under Sub-section (14)
  - (ii) *Duplex residential*, as limited under Sub-section (14)
  - (iii) *Townhouse*

*Accessory uses*, limited to:

- (a) *Boarding*, as limited under Section 508(1)
- (b) *Accessory residential*
- (c) *Accessory home occupation*, as limited under Section 508(3)
- (d) *Accessory uses* located in a *building* for *townhouse* use, limited to workshops for residents, social and recreation space and facilities
- (e) *Assembly child care*
- (f) *Accessory institutional support services*
- (g) *Lock-off units*, as limited under Section 508(6)

#### **(3) Conditions of Use**

Not applicable in this zone.

#### **(4) Lot Size**

- (a) A *one-family residential use* is not permitted on a *lot* having an area less than 330 m<sup>2</sup>.
- (b) A *duplex residential use* is not permitted on a *lot* having an area less than 740 m<sup>2</sup>.
- (c) A *townhouse use* is not permitted on a *lot* having an area less than 1,110 m<sup>2</sup>.
- (d) The maximum *lot size* for a public park is 0.8 hectares.

**1201 RT-2 Townhouse Residential**

**(5) Density**

- (a) All *buildings and structures* together must not exceed a *gross floor area* of 0.9 times the *lot area* for all permitted *uses*. This may be increased by:
- (i) 0.2 times the *lot area* times the ratio of *concealed parking to accessory off-street parking*, excluding required visitor parking, required by this bylaw up to a maximum of 1.1 times the *lot area*.

**(6) Lot Coverage**

All *buildings and structures* together must not exceed a *lot coverage* of 45%.

**(7) Buildings Per Lot**

One or more *principal buildings* may be located on a lot.

**(8) Setbacks**

- (a) *Buildings and structures* for the following *uses* must meet the siting distance from other *buildings and structures* where applicable and be sited no closer than the corresponding setbacks from the *lot lines* set out below:

<i>Use</i>	<b>Lot Line Along a Street (metres)</b>	<b>Rear Lot Line (metres)</b>	<b>Interior Side Lot Line (metres)</b>
<i>Principal buildings and structures</i>	4.0	7.6 (no lane) 4.5 (lane)	1.8
<i>Accessory residential and accessory off-street parking buildings and structures attached to or sited less than 1.6 metres from a building for residential use</i>	4.0	7.6 (no lane) 4.5 (lane)	1.8

<i>Use</i>	<b>Front Lot Line (metres)</b>	<b>Rear Lot Line (metres)</b>	<b>Interior Side Lot Line (metres)</b>	<b>Exterior Side Lot Line (metres)</b>
<i>Detached accessory residential and accessory off-street parking buildings and structures where sited 1.6 metres or more from a building for residential use</i>	7.6	1.2	1.2	3.8

**1201 RT-2 Townhouse Residential**

- (b) The siting distance is measured from the outermost limit of the *building* or any permitted projections, whichever is greater.
- (c) The above setbacks are subject to increase or decrease under the following conditions:
  - (i) The setback for the *rear lot line* will decrease to 3.0 metres from the property line abutting land designated in the Citywide Official Community Plan for Park or Open Space or Natural Areas;
  - (ii) Sections 514, 518, 519 and 523; and
  - (iii) Section 514 does not apply to the *interior side lot line* setback requirements for *principal buildings* and *structures*.

**(9) Location of Uses**

A *lock-off unit* is only permitted within the Evergreen Line Core and Shoulder Station areas as identified in Schedule “O”.

**(10) Height**

- (a) *Buildings* and *structures* for *one-family residential use*, *duplex residential use* and *townhouse use* shall not exceed a *height* of three *storeys* on any face or side.
- (b) Detached *buildings* and *structures* for *accessory residential* or *accessory off-street parking* must not exceed a *height*, measured from *finished grade*, of:
  - (i) 3.7 metres;
  - (ii) 4.6 metres, where the *building* or *structure* has a roof with a pitch of 4 in 12 or greater for an area of at least 80% of all roof surfaces; or
  - (iii) Two *storeys*, where the *building* is accessory to a *townhouse use* and provides for an indoor *common amenity area*.

**(11) Building Size**

- (a) *Buildings* for *townhouse use* must not exceed 55 metres in length, and must be designed with appropriate architectural breaks where the length of the *building* exceeds 37 metres.

## 1201 RT-2 Townhouse Residential

### (12) Off-Street Parking and Loading

The regulations under Part 7 apply.

### (13) Other Regulations

- (a) Each principal *dwelling unit* in a *building* for *townhouse use* must be provided with:
  - (i) a separate entrance having direct access to grade;
  - (ii) a private outdoor space defined by *fences*, railings or landscaping, having a total area not less than 37 m<sup>2</sup> and having access directly from the *dwelling unit*;
  - (iii) access to an on-site *common amenity area* or areas totaling not less than 5.0 m<sup>2</sup> per *dwelling unit*.
- (b) The regulations under Part 2, Part 3, Part 4, Part 5 and Part 6 apply.

### (14) Overlay Zone

- (a) Notwithstanding the principal permitted *uses* under Sub-section (2), properties identified as One-family Residential under Schedule "L" are limited to *one-family residential use* only.
- (b) Notwithstanding the principal permitted *uses* under Sub-section (2), properties identified as Duplex Residential under Schedule "L" are limited to *duplex residential use* only.
- (c) As an exception to Sub-section 14(b), trees identified as hazard trees, as defined by an ISA certified arborist and/or an ISA certified Tree Risk Assessor, are permitted to be removed without a permit provided that:
  - (i) the hazard tree poses an immediate hazard to *persons*, living accommodations, or other lawfully constructed *structures*; and
  - (ii) the removal of the hazard tree is accomplished through the use of standard forestry practices.
  - (iii) For any tree that is removed under Sub-section (13)(b), the owner of the land shall undertake tree replacement at a rate of two replacement trees of similar species per tree removed, with a minimum 5 cm caliper.

## PART 12 APARTMENT RESIDENTIAL ZONES

### 1202 RT-3 Multiplex Residential

#### (1) Intent

This zone provides for ground-oriented infill *residential* development on larger *lots*.

#### (2) Permitted Uses

*Principal uses*, limited to:

- (a) *Multiplex residential*

*Accessory uses*, limited to:

- (a) *Boarding*, as limited under Sub-section 508(1)
- (b) *Accessory residential*
- (c) *Accessory home occupation*, as limited under Sub-section 508(3)
- (d) *Accessory institutional support services*

#### (3) Conditions of Use

Not applicable in this zone.

#### (4) Lot Size

- (a) A *multiplex residential use* is not permitted on a *lot* having an area less than:
  - (i) 930 m<sup>2</sup>, except as permitted under (ii) below; or
  - (ii) 740 m<sup>2</sup>, where the *lot* was rezoned to the RT-3 zone prior to July 08, 2019.

#### (5) Density

- (a) All *buildings and structures*, including those for *accessory off-street parking uses* and *accessory residential uses*, must not exceed a *floor area* of 0.85 times the *lot area*.
- (b) Notwithstanding 5(a) above, where *accessory off-street parking uses* are *underground parking*, contained within an *underground structure*, the *floor area* **excludes** the *underground parking areas*, and the *underground areas* contained within this *underground structure* used for storage, and common maintenance, mechanical, and electrical purposes.

**1202 RT-3 Multiplex Residential**

**(6) Lot Coverage**

All *buildings* and *structures* together must not exceed a *lot coverage* of 50%.

**(7) Buildings Per Lot**

(a) More than one *principal building* may be located on a *lot*.

**(8) Setbacks**

(a) Subject to Sections 514, 518, 519 and 523, *buildings* and *structures* for the following *uses* must meet the siting distance measured from the outermost limit of the *building* or any permitted projections (whichever is greater) from other *buildings* and *structures* where applicable, and be sited no closer than the corresponding setbacks from the *lot* lines set out below:

<b>Use</b>	<b>Front Lot Line (metres)</b>	<b>Rear Lot Line (metres)</b>	<b>Interior Side Lot Line (metres)</b>	<b>Exterior Side Lot Line (metres)</b>
<i>Multiplex residential</i>	4.5	6.0	1.2	3.0
<i>Accessory residential and accessory off-street parking buildings and structures attached to or sited less than 1.6 metres from a building for residential use</i>	4.5	6.0	1.2	3.0
<i>Detached accessory residential and accessory off-street parking buildings and structures where sited 1.6 metres or more from a building for residential use</i>	4.5	1.2	1.2	3.0

(b) A minimum separation distance of 6.0 metres measured from any *wall* face must be maintained between a *principal building* and any *wall* of all detached *accessory buildings* and *accessory off-street parking buildings* or *structures*.

**(9) Location of Uses**

(a) All detached *accessory residential* and detached *accessory off-street parking buildings* and *structures* must be located in the *rear yard*.

## 1202 RT-3 Multiplex Residential

- (b) For *lots* within the shaded area shown in dark outline on Schedule “N”, access to *off-street parking* must be taken from the *street* until such time as a secondary north-south access to the *lane* is achieved through redevelopment.

### (10) Height

- (a) *Principal buildings and structures* must not exceed a *height* of:
  - (i) 9.5 metres; or
  - (ii) 11.0 metres for *buildings and structures* having a roof slope with a pitch of 3 in 12 or greater for an area of at least 80% of all roof surfaces.
- (b) Detached *buildings and structures* for *accessory residential* or *accessory off-street parking* must not exceed a *height*, measured from *finished grade*, of:
  - (i) 3.7 metres; or
  - (ii) 4.6 metres, for an *accessory building* that has a roof with a pitch of 4 in 12 or greater for an area of at least 80% of all roof surfaces.

### (11) Building Size

- (a) The maximum length of any *wall* of a detached *building or structure* for an *accessory residential use* or an *accessory off-street parking use* is 11.0 metres.
- (b) A detached *building or structure* for an *accessory off-street parking use* must not contain more than three *parking spaces*.

### (12) Off-Street Parking and Loading

- (a) The regulations under Part 7 apply.

### (13) Other Regulations

- (a) Each *dwelling unit* in a *building for multiplex residential use* must be provided with access to an on-site private or common outdoor space or spaces that are defined by *fences, railings, or landscaping* and that have a total area not less than 37 m<sup>2</sup> per *dwelling unit*.
- (b) Each *dwelling unit* in a *building for multiplex residential use* must provide an indoor enclosed storage area of not less than 3.3 m<sup>2</sup>, being:
  - (i) an area with a full *storey ceiling height*;
  - (ii) located at ground level or at the main floor;

**1202 RT-3 Multiplex Residential**

(iii) a minimum dimension of one *wall* being not less than 1.8 m; and

(iv) windowless.

(c) The regulations under Part 2, Part 3, Part 5, and Part 6 apply.

## PART 12 APARTMENT RESIDENTIAL ZONES

### 1203 RM-1 Two-Storey Low Density Apartment Residential

#### (1) Intent

This zone provides for two *storey apartment* and *townhouse* developments at a low *density*.

#### (2) Permitted Uses

*Principal uses*, limited to:

- (a) Residential, limited to:
  - (i) *Apartment*
  - (ii) *Townhouse*
  - (iii) *Congregate Housing and Care*

*Accessory uses*, limited to:

- (a) *Boarding* as limited under Section 508(1)
- (b) *Accessory residential*
- (c) *Accessory home occupation*, as limited under Section 508(3)
- (d) *Accessory uses* located in *buildings* for *apartment* and *townhouse uses*, limited to:
  - (i) where the building for *apartment* or *townhouse use* contains only *Congregate Housing and Care*:
    - (i.i) retail sale of goods manufactured in resident workshops
    - (i.ii) retail sale of goods and services to residents of the *building* only
  - (ii) workshops for residents, social and recreation space and facilities
- (e) *Assembly child care*
- (f) *Accessory institutional support services*

#### (3) Conditions of Use

In addition to the restrictions listed in Section 508(5), the following apply to the use of *accessory off-street parking*:

- (a) *contractor's equipment* may be parked or stored underground;
- (b) greater than two of any combination of *recreational vehicles*, commercial vehicles or boat trailers may be parked or stored underground;

**1203 RM-1 Two-Storey Low Density Apartment Residential**

- (c) *recreational vehicles*, commercial vehicles or boat trailers exceeding 7.6 metres in length or 3.7 metres in height may be parked or stored underground; and
- (d) *accessory off-street parking* must be surrounded by landscaped areas not less than 0.6 metres wide, where the *principal use* on the *lot* is for *apartment* or *townhouse use*.

**(4) Lot Size**

The following *uses* are not permitted on *lots* having areas less than the corresponding areas set out below:

<u>Use</u>	<u>Minimum Lot Size (m<sup>2</sup>)</u>
(a) <i>Apartment</i> or <i>Townhouses</i>	1,110
<i>Boarding</i>	555
(b) The maximum <i>lot size</i> for a public park is 0.8 hectares	

**(5) Density**

- (a) All *buildings* and *structures* for *apartment* or *townhouse use* must not exceed a *gross floor area* of 0.45 times the *lot area*;
- (b) For purposes of calculation, refer to the definition of *lot area* under Section 201.

**(6) Lot Coverage**

All *buildings* and *structures* for *all uses* combined must not exceed the *lot coverage* of 30%.

**(7) Buildings Per Lot**

One or more *principal buildings* may be located on a *lot*.

**(8) Setbacks**

- (a) *Buildings* and *structures* for the following *uses* must meet the siting distance from other *buildings* and *structures* where applicable and be sited no closer than the corresponding setbacks from the *lot* lines set out below:

**1203 RM-1 Two-Storey Low Density Apartment Residential**

<b>Use</b>	<b>Lot Lines Along a Street or Lane (metres)</b>	<b>Interior Side Lot Line or Rear Lot Line Not Along a Street or Lane (metres)</b>
<i>Principal buildings</i>	7.6	50% of the <i>height</i> of the <i>building</i> up to 9 metres, plus 30% of the <i>height</i> of the <i>building</i> above 9 metres, but in no case less than: -3.0 metres for a <i>wall</i> with no window or a window to a <i>non-habitable room</i> ; -7.6 metres for a <i>wall</i> with a balcony or a window to a <i>habitable room</i>
<i>Accessory residential and accessory off-street parking buildings and structures attached to or sited less than 1.6 metres from a building for residential use</i>	7.6	50% of the <i>height</i> of the <i>building</i> up to 9 metres, plus 30% of the <i>height</i> of the <i>building</i> above 9 metres, but in no case less than: -3.0 metres for a <i>wall</i> with no window or a window to a <i>non-habitable room</i> ; -7.6 metres for a <i>wall</i> with a balcony or a window to a <i>habitable room</i>

<b>Use</b>	<b>Front Lot Line (metres)</b>	<b>Rear Lot Line (metres)</b>	<b>Interior Side Lot Line (metres)</b>	<b>Exterior Side Lot Line (metres)</b>
<i>Detached accessory residential and accessory off-street parking buildings and structures where sited 1.6 metres or more from a building for residential use</i>	7.6	1.2	1.2	3.8

- (b) The siting distance is measured from the outermost limit of the building or any permitted projections, whichever is greater.
- (c) The above setbacks may increase under Sections 518, 519 and 523 or decrease under Section 514.

## 1203 RM-1 Two-Storey Low Density Apartment Residential

### (9) Location of Uses

Where the *principal use* on the *lot* is *apartment use*, *surface accessory off-street parking* must not be located:

- (a) between a *front lot line* and the required *building* setback line;
- (b) closer than 3.0 metres to a balcony or a window of a *habitable room*.

### (10) Height

*Buildings and structures* for *residential use* must not exceed a height of two *storeys*. Despite the above, the floor below the first *storey* may be exposed on one side of the *building* where it is located on a sloping *lot*.

### (11) Building Size

- (c) *Buildings* for *townhouse use* must not exceed 55 metres in length, and must be designed with appropriate architectural breaks where the length of the *building* exceeds 37 metres.
- (d) *Buildings* for *apartment use* must not exceed 65 metres in length, and must be designed with appropriate architectural breaks where the length of the *building* exceeds 37 metres.
- (e) Notwithstanding Sub-section (11)(b), where a directional turn in the *building* is provided, the Director of Development Services may permit *buildings* for *apartment use* that extend beyond 65 metres in length.

### (12) Off-Street Parking and Loading

The regulations under Part 7 apply.

### (13) Other Regulations

- (a) Each *dwelling unit* in a *building* for *apartment* or *townhouse use* must be provided with:
  - (i) not less than 220 m<sup>2</sup> of *lot area*; and
  - (ii) access to an on-site *common amenity area* or areas totaling not less than 5.0 m<sup>2</sup> per *dwelling unit*.
- (b) The number of *studio dwelling units* in any single *building* must not exceed 30% of all *dwelling units* in the *building*.
- (c) The regulations under Part 2, Part 3, Part 4, Part 5 and Part 6 apply.

## PART 12 APARTMENT RESIDENTIAL ZONES

### 1204 RM-2 Three-Storey Medium Density Apartment Residential

#### (1) Intent

This zone provides for three *storey apartment* and *townhouse* developments at medium *density*.

#### (2) Permitted Uses

*Principal uses*, limited to:

- (a) Residential, limited to:
  - (i) *Apartment*
  - (ii) *Townhouse*
  - (iii) *Congregate Housing and Care*

*Accessory uses*, limited to:

- (a) *Boarding*, as limited under Section 508(1)
- (b) *Accessory residential*
- (c) *Accessory home occupation*, as limited under Section 508(3)
- (d) *Accessory uses* located in a *building* for *apartment* and *townhouse uses*, limited to:
  - (i) where the *building* for *apartment* and *townhouse use* contains only *Congregate Housing and Care*:
    - (i.i) retail sale of goods manufactured in resident workshops
    - (i.ii) retail sale of goods and services to residents of the *building* only
  - (ii) workshops for residents, social and recreation space and facilities
- (e) *Assembly child care*
- (f) *Accessory institutional support services*
- (g) *Lock-off units*, as limited under Section 508(6)

#### (3) Conditions of Use

Not applicable in this zone.

## 1204 RM-2 Three-Storey Medium Density Apartment Residential

### (4) Lot Size

The following *uses* are not permitted on *lots* having areas less than the corresponding areas set out below:

<u>Use</u>	<u>Minimum Lot Size (m<sup>2</sup>)</u>
(a) <i>Apartment or Townhouses</i>	1,110
<i>Boarding</i>	555
(b) The maximum <i>lot size</i> for a public park is 0.8 hectares	

### (5) Density

- (a) All *buildings* and *structures* together must not exceed a *gross floor area* of 1.4 times the *lot area*.
- (b) For each *accessible residential dwelling unit* and *adaptable unit* provided, 2 m<sup>2</sup> is excluded from the *gross floor area* calculation. The exclusion of 2 m<sup>2</sup> for *accessible residential dwelling units* and *adaptable units* shall only be applied to a maximum of 20% of all *dwelling units* within a *building*.
- (c) The following *lots* are designated as *strategic housing lots*:

<b>Parcel Identifier No.</b>	<b>Address</b>	<b>Designation</b>
N/A	N/A	N/A

- (d) On *lots* designated as *strategic housing lots*, the *density* may exceed the maximum *density* permitted under this zone, to a maximum of 10% additional floor area ratio, for the portion of the *gross floor area* that provides for *strategic housing*, if all *dwelling units* provided within the development are market rental units as required by a housing agreement or registered covenant or *below-market rental units*.

### (6) Lot Coverage

All *buildings* and *structures* for all *uses* combined must not exceed the *lot coverage* of 50%.

### (7) Buildings Per Lot

One or more *principal buildings* may be located on a *lot*.

**1204 RM-2 Three-Storey Medium Density Apartment Residential**

**(8) Setbacks**

(a) *Buildings and structures* for the following *uses* must meet the siting distance from other *buildings and structures* where applicable and be sited no closer than the corresponding setbacks from the *lot lines* set out below:

<i>Use</i>	<i>Lot Lines Along a Street (metres)</i>	<i>Rear Lot Line (metres)</i>	<i>Interior Side Lot Line (metres)</i>
<i>Principal buildings</i>	4.0	9.5 (no lane) 4.5 (lane)	4.5
<i>Accessory residential and accessory off-street parking buildings and structures attached to or sited less than 1.6 metres from a building for residential use</i>	4.0	9.5 (no lane) 4.5 (lane)	4.5

<i>Use</i>	<i>Front Lot Line (metres)</i>	<i>Rear Lot Line (metres)</i>	<i>Interior Side Lot Line (metres)</i>	<i>Exterior Side Lot Line (metres)</i>
<i>Detached accessory residential and accessory off-street parking buildings and structures where sited 1.6 metres or more from a building for residential use</i>	7.6	1.2	1.2	3.8

(b) The siting distance is measured from the outermost limit of the *building, structure* or any permitted projections, whichever is greater.

(c) The above setbacks are subject to increase or decrease under the following conditions:

(i) The setback for the *rear lot line* will decrease to 3.0 metres from the property line abutting land designated in the Citywide Official Community Plan for Park or Open Space or Natural Areas; and

(ii) Sections 514, 518, 519 and 523.

## 1204 RM-2 Three-Storey Medium Density Apartment Residential

### (9) Location of Uses

A *lock-off unit use* is only permitted within the Evergreen Line Core and Shoulder Station areas as identified in Schedule "O".

### (10) Height

- (a) All *buildings and structures* shall not exceed a *height* of three *storeys*.
- (b) All *buildings and structures* located within 7.6 metres from any property line abutting land designated One-Family Residential or *Neighbourhood Attached Residential* in the Citywide Official Community Plan shall not exceed a height of two *storeys*.

### (11) Building Size

- (a) *Buildings for townhouse use* must not exceed 55 metres in length, and must be designed with appropriate architectural breaks where the length of the *building* exceeds 37 metres.
- (b) *Buildings for apartment use* must not exceed 65 metres in length, and must be designed with appropriate architectural breaks where the length of the *building* exceeds 37 metres.
- (c) Notwithstanding Sub-section (11)(b), where a directional turn in the *building* is provided, the Director of Development Services may permit *buildings for apartment use* that extend beyond 65 metres in length.

### (12) Off-Street Parking and Loading

- (a) All *accessory off-street parking* must be provided as *concealed parking*; and
- (b) *Accessory off-street parking* and loading shall be provided in accordance with Part 7.

### (13) Other Regulations

- (a) Each principal *dwelling unit* in a *building for apartment or townhouse use* must be provided with access to an on-site *common amenity area* or areas totaling not less than 5.0 m<sup>2</sup> per *dwelling unit*.
- (b) The number of *studio dwelling units* in any single *building* must not exceed 30% of all *dwelling units* in the *building*.

**1204 RM-2 Three-Storey Medium Density Apartment Residential**

- (c) Despite the definition of “*lot*” contained in Part 2 of this Bylaw, a *lot* in the RM-2 zone may consist of two or more contiguous parcels of land (including air space parcels) where:
  - (i) the *use* of land and *gross floor areas of buildings* on such parcels taken together comply with the provisions of the RM-2 zone;
  - (ii) the parcels are subject of a development providing for the parcels to be developed together as a single development; and
  - (iii) there is registered against each such parcel a covenant under Section 219 of the Land Title Act in favour of the *City* requiring that such parcel be developed in accordance with the Sub-section (13)(c)(i), and containing such other provisions as the *City* may require.
- (d) The regulations under Part 2, Part 3, Part 4, Part 5 and Part 6 apply.

This page is intentionally left blank

## PART 12 APARTMENT RESIDENTIAL ZONES

### 1205 RM-3 Multi-Storey Medium Density Apartment Residential

#### (1) Intent

This zone provides for *apartment* developments between 4 and 8 *storeys* at a medium *density*.

#### (2) Permitted Uses

*Principal uses*, limited to:

(a) Residential, limited to:

- (i) *Apartment*
- (ii) *Townhouse*, as limited under Sub-section (9)(a)
- (iii) *Congregate Housing and Care*

(b) *Commercial*, limited to the following and not including a *drive-through business*:

- (i) *Retail – personal goods*
- (ii) *Retail – general*
- (iii) *Personal service*
- (iv) *Business and household service*
- (v) *Restaurant*
- (vi) *Office, and*
- (vii) *Convenience retail*

*Accessory uses*, limited to:

- (a) *Boarding*, as limited under Section 508(1)
- (b) *Accessory residential*
- (c) *Accessory home occupation*, as limited under Section 508(3)
- (d) *Accessory uses* located in a *building* for *apartment use*, limited to:
  - (i) *assembly child care* or *child care*
  - (ii) where the *building* for *apartment use* contains only *Congregate Housing and Care*:
    - (ii.i) retail sale of goods manufactured in resident workshops
    - (ii.ii) retail sale of goods and services to residents of the *building* only
  - (iii) workshops for residents, social and recreation space and facilities.
- (e) *Accessory institutional support services*
- (f) *Lock-off units*, as limited under Section 508(6)

**1205 RM-3 Multi-Storey Medium Density Apartment Residential**

**(3) Conditions of Use**

Not applicable in this zone.

**(4) Lot Size**

The following *uses* are not permitted on *lots* having areas less than the corresponding areas set out below:

<u>Use</u>	<u>Minimum Lot Size (m<sup>2</sup>)</u>
(a) <i>Apartment or Townhouses</i>	1,110
<i>Boarding</i>	555
(b) The maximum <i>lot size</i> for a public park is 0.8 hectares	

**(5) Density**

- (a) All *buildings* and *structures* together must not exceed a *gross floor area* of 1.85 times the *lot area* for all permitted *uses*. For *lots* located within the Evergreen Line Core and Shoulder station areas of Schedule “O” of the Bylaw and in close proximity to Partington Creek Neighbourhood Centre, as defined by Schedule “T” of the Bylaw, this may be increased by:
  - (i) 0.35 times the *lot area* for *buildings* that are a minimum of five (5) *storeys*, up to a maximum of 2.2 times the *lot area*, or
  - (ii) 0.45 times the *lot area* for *buildings* that are a minimum of six (6) *storeys*, up to a maximum of 2.3 times the *lot area*, or
  - (iii) 0.55 times the *lot area* for *buildings* that are a minimum of seven (7) *storeys*, up to a maximum of 2.4 times the *lot area*.
- (b) For each *accessible residential dwelling unit* and *adaptable unit* provided, 2 m<sup>2</sup> is excluded from the *gross floor area* calculation. The exclusion of 2 m<sup>2</sup> for *accessible residential dwelling units* and *adaptable units* shall only be applied to a maximum of 20% of all *dwelling units* within a *building*.
- (c) The following *lots* are designated as *strategic housing lots*:

<b>Parcel Identifier No.</b>	<b>Address</b>	<b>Designation</b>
010-020-829	945 Charland Ave	<i>Strategic housing</i>
010-020-811	951 Charland Ave	<i>Strategic housing</i>

**1205 RM-3 Multi-Storey Medium Density Apartment Residential**

(d) On lots designated as *strategic housing lots*, the *density* may exceed the maximum *density* permitted under this zone, to a maximum of 10% additional floor area ratio, for the portion of the *gross floor area* that provides for *strategic housing*, if all *dwelling units* provided within the development are market rental units as required by a housing agreement or registered covenant or *below-market rental units*.

**(6) Lot Coverage**

All *buildings* and *structures* combined must not exceed a *lot coverage* of 55%.

**(7) Buildings Per Lot**

One or more *principal buildings* may be located on a lot.

**(8) Setbacks**

(a) *Buildings* and *structures* for the following *uses* must meet the siting distance from other *buildings* and *structures* where applicable and be sited no closer than the corresponding setbacks from the *lot lines* set out below:

<i>Use</i>	<b>Lot Lines Along a Street (metres)</b>	<b>Rear Lot Line (metres)</b>	<b>Interior Side Lot Line (metres)</b>
<i>Principal buildings</i>	4.0	9.5 (no lane) 4.5 (lane)	4.5
<i>Accessory residential and accessory off-street parking buildings and structures attached to or sited less than 1.6 metres from a building for residential use</i>	4.0	9.5 (no lane) 4.5 (lane)	4.5

<i>Use</i>	<b>Front Lot Line (metres)</b>	<b>Rear Lot Line (metres)</b>	<b>Interior Side Lot Line (metres)</b>	<b>Exterior Side Lot Line (metres)</b>
<i>Detached accessory residential and accessory off-street parking buildings and structures where sited 1.6 metres or more from a building for residential use</i>	7.6	1.2	1.2	3.8

## 1205 RM-3 Multi-Storey Medium Density Apartment Residential

- (b) The siting distance is measured from the outermost limit of the *building* or any permitted projections, whichever is greater.
- (c) The above setbacks are subject to increase or decrease under the following conditions:
  - (i) The setback for the *rear lot line* will decrease to 3.0 metres from the property line abutting land designated in the Citywide Official Community Plan for Park or Open Space or Natural Areas;
  - (ii) The setbacks for *buildings* above four (4) *storeys* will increase 2.0 metres from all *lot lines* abutting land designated in the Citywide Official Community Plan for One Family Residential or *Neighbourhood Attached Residential*; and
  - (iii) Under Sections 514, 518, 519 and 523.

### (9) Location of Uses

- (a) A *townhouse use*:
  - (i) must be in conjunction with a multi-*storey* high-density *apartment* development; and
  - (ii) must include fewer units than the number of units proposed for the *apartment use*;
- (b) A *lock-off unit use* is only permitted within the Evergreen Line Core and Shoulder Station areas as identified in Schedule “O”.

### (10) Height

- (a) All *buildings* and *structures* for *apartment use* shall be at least a *height* of four *storeys* and must not exceed a *height* of eight *storeys*, except that *buildings* and *structures* located in the designated Medium Density Apartment Residential areas of Schedule “S” of the Bylaw must not exceed a *height* of six *storeys*; and
- (b) All *buildings* and *structures* located within 7.6 metres from any property line abutting land designated One Family Residential or *Neighbourhood Attached Residential* in the Citywide Official Community Plan shall not exceed a *height* of two *storeys*.

### (11) Building Size

- (a) *Buildings* for *townhouse use* must not exceed 55 metres in length, and must be designed with appropriate architectural breaks where the length of the *building* exceeds 37 metres.

## 1205 RM-3 Multi-Storey Medium Density Apartment Residential

- (b) *Buildings for apartment use* must not exceed 65 metres in length, and must be designed with appropriate architectural breaks where the length of the *building* exceeds 37 metres.
- (c) Notwithstanding Sub-section (11)(b), where a directional turn in the *building* is provided, the Director of Development Services may permit *buildings for apartment use* that extend beyond 65 metres in length.

### (12) Off-Street Parking and Loading

- (a) All *accessory off-street parking* must be provided as *concealed parking*; and
- (b) *Accessory off-street parking* and loading shall be provided in accordance with Part 7.

### (13) Other Regulations

- (a) Each principal *dwelling unit* in a *building for apartment or townhouse use* must be provided with access to an on-site *common amenity area* or areas totaling not less than 5.0 m<sup>2</sup> per *dwelling unit*.
- (b) The number of *studio dwelling units* in any single *building* must not exceed 30% of all *dwelling units* in the *building*.
- (c) Despite the definition of “*lot*” contained in Part 2 of this Bylaw, a *lot* in the RM-3 zone may consist of two or more contiguous parcels of land (including air space parcels) where:
  - (i) the use of land and *gross floor areas of buildings* on such parcels taken together comply with the provisions of the RM-3 zone;
  - (ii) the parcels are subject of a development providing for the parcels to be developed together as a single development; and
  - (iii) there is registered against each such parcel a covenant under Section 219 of the Land Title Act in favour of the *City* requiring that such parcel be developed in accordance with Sub-section (13)(c)(i), and containing such other provisions as the *City* may require.
- (d) The regulations under Part 2, Part 3, Part 4, Part 5, and Part 6 apply.

This page is intentionally left blank

## PART 12 APARTMENT RESIDENTIAL ZONES

### 1206 RM-4 Multi-Storey High Density Apartment Residential

#### (1) Intent

This zone provides for *apartment* developments between 8 and 12 *storeys* at high *density*.

#### (2) Permitted Use

*Principal uses*, limited to:

(a) Residential, limited to:

- (i) *Apartment*
- (ii) *Townhouse*, as limited under Sub-section (9)(a)
- (iii) *Congregate Housing and Care*

(b) *Commercial*, limited to the following and not including a *drive-through business*:

- (i) *Retail – personal goods*
- (ii) *Retail – general*
- (iii) *Personal service*
- (iv) *Business and household service*
- (v) *Restaurant*
- (vi) *Office, and*
- (vii) *Convenience retail*

*Accessory uses*, limited to:

- (a) *Boarding*, as limited under Section 508(1)
- (b) *Accessory residential*
- (c) *Accessory home occupation*, as limited under Section 508(3)
- (d) *Accessory uses* located in a *building* for *apartment use*, limited to:
  - (i) *assembly child care* or *child care*
  - (ii) where the *building* for *apartment use* contains only *Congregate Housing and Care*:
    - (ii.i) retail sale of goods manufactured in resident workshops
    - (ii.ii) retail sale of goods and services to residents of the *building* only
  - (iii) workshops for residents, social and recreation space and facilities
- (e) *Lock-off units*, as limited under Section 508(6)
- (f) *Accessory institutional support services*

**1206 RM-4 Multi-Storey High Density Apartment Residential**

**(3) Conditions of Use**

Not applicable in this zone.

**(4) Lot Size**

The following *uses* are not permitted on *lots* having areas less than the corresponding areas set out below:

<u>Use</u>	<u>Minimum Lot Size (m<sup>2</sup>)</u>
(a) <i>Apartment or Townhouses</i>	1,110
<i>Boarding</i>	555
(b) The maximum <i>lot size</i> for a public park is 0.8 hectares	

**(5) Density**

- (a) All *buildings and structures* together must not exceed a base *density gross floor area* of 2.5 times the *lot area*; and
- (b) The overall maximum base *density* of 2.5 times the *lot area* may be increased as follows:

<b>Density Step</b>	<b>Condition of Additional Density</b>	<b>Additional Gross Floor Area Ratio</b>	<b>Maximum Total Gross Floor Area Ratio</b>
Step 1	A financial contribution of 75% of the land value of the additional <i>density</i> towards amenities as identified in the Citywide Official Community Plan	Up to 0.5 times the <i>lot area</i>	3.0 times the <i>lot area</i>
Step 2	At least 20% of additional <i>density</i> is used for <i>priority unit types</i> as identified in the Citywide Official Community Plan and the remainder of the additional <i>density</i> is used for <i>purpose-built rental units</i>	Up to 1.0 times the <i>lot area</i>	4.0 times the <i>lot area</i>

- (c) In-lieu of a financial contribution as identified in Sub-section (5)(b), the *City* may require the provision of an amenity, equivalent in value to the financial contribution for the additional *density* allowed.

**1206 RM-4 Multi-Storey High Density Apartment Residential**

- (d) For the purpose of Sub-section(5)(c), the following amenities are eligible for consideration in an application of a *density* bonus:
  - (i) public facilities;
  - (ii) space for community or non-profit groups that serve the community; and
  - (iii) extraordinary public realm improvements.
- (e) For each *accessible residential dwelling unit* and *adaptable unit* provided, 2 m<sup>2</sup> is excluded from the *gross floor area* calculation. The exclusion of 2 m<sup>2</sup> for *accessible residential dwelling units* and *adaptable units* shall only be applied to a maximum of 20% of all *dwelling units* within a *building*.
- (f) The following *lots* are designated as *strategic housing lots*:

<b>Parcel Identifier No.</b>	<b>Address</b>	<b>Designation</b>
N/A	N/A	N/A

- (g) On lots designated as *strategic housing lots*, the *density* may exceed the maximum *density* permitted under this zone, to a maximum of 1.0 additional floor area ratio, for the portion of the *gross floor area* that provides for *strategic housing*, if the *lot* maximizes the base *density* permitted under Sub-section (5)(a) and the *lot* maximizes the bonus *density* permitted under Sub-section (5)(b).

**(6) Lot Coverage**

All *buildings* and *structures* combined must not exceed a *lot coverage* of 55%.

**(7) Buildings Per Lot**

One or more *principal buildings* may be located on a lot.

**(8) Setbacks**

- (a) *Buildings* or *structures* for the following *uses* must meet the siting distance from other *buildings* and *structures* and must be sited no closer than the corresponding setbacks from *lot* lines set out below:

<b>Use</b>	<b>Lot Lines along a Street or Lane (metres)</b>	<b>Interior Side Lot Line and Rear Lot Line (metres)</b>
All <i>buildings</i> or <i>structures</i>	3.0	6.0

## 1206 RM-4 Multi-Storey High Density Apartment Residential

- (b) The above setbacks are subject to increase under Sections 518 and 519 and 523 or decrease under Section 514.

### (9) Location of Uses

- (a) A *townhouse use*:
  - (i) must be in conjunction with a multi-storey high-density *apartment* development; and
  - (ii) must include fewer units than the number of units proposed for the *apartment use*;
- (b) A *lock-off unit use* is only permitted within the Evergreen Line Core and Shoulder Station areas as identified in Schedule "O".

### (10) Height

*Buildings and structures for apartment use* must be not less than eight (8) storeys in height and must not exceed a height of twelve (12) storeys.

### (11) Building Size

- (a) *Buildings for townhouse use* must not exceed 55 metres in length, and must be designed with appropriate architectural breaks where the length of the *building* exceeds 37 metres.
- (b) *Buildings for apartment use* must not exceed 65 metres in length, and must be designed with appropriate architectural breaks where the length of the *building* exceeds 37 metres.
- (c) Notwithstanding Sub-section (11)(b), where a directional turn in the *building* is provided, the Director of Development Services may permit *buildings for apartment use* that extend beyond 65 metres in length.

### (12) Off-Street Parking and Loading

- (a) All *accessory off-street parking* must be provided as *concealed parking*;
- (b) Above-grade structured parking may be located up to the second storey only if at least one-storey of *underground parking* is also provided;
- (c) Above-grade structured *off-street parking* along a street must be separated from the *building* face by other permitted uses; and
- (d) The regulations under Part 7 apply.

## 1206 RM-4 Multi-Storey High Density Apartment Residential

### (13) Other Regulations

- (a) Each *dwelling unit* in a *building* for *apartment* or *townhouse use* must be provided with access to an on-site *common amenity area* or areas totaling not less than 5.0 m<sup>2</sup> per *dwelling unit*.
- (b) The number of *studio dwelling units* in any single *building* must not exceed 30% of all *dwelling units* in the building.
- (c) Despite the definition of “*lot*” contained in Part 2 of this Bylaw, a *lot* in the RM-4 zone may consist of two or more contiguous parcels of land (including air space parcels) where:
  - (i) the *use* of land and *gross floor areas of buildings* on such parcels taken together comply with the provisions of the RM-4 zone;
  - (ii) the parcels are subject of a development providing for the parcels to be developed together as a single development; and
  - (iii) there is registered against each such parcel a covenant under Section 219 of the Land Title Act in favour of the *City* requiring that such parcel be developed in accordance with Sub-section (13)(c)(i), and containing such other provisions as the *City* may require.
- (d) The regulations under Part 2, Part 3, Part 4, Part 5 and Part 6 apply.

This page is intentionally left blank

## PART 12 APARTMENT RESIDENTIAL ZONES

### 1207 RM-5 Multi-Storey High Density Apartment Residential

#### (1) Intent

This zone provides for *apartment* developments between 8 and 20 *storeys* at high *density*.

#### (2) Permitted Uses

*Principal uses*, limited to:

(a) Residential, limited to:

- (i) *Apartment*
- (ii) *Townhouse*, as limited under Sub-section (9)(a)
- (iii) *Congregate Housing and Care*

(b) *Commercial*, limited to the following and not including a *drive-through business*:

- (i) *retail – personal goods*
  - (ii) *retail – general*
  - (iii) *personal service*
  - (iv) *business and household service*
  - (v) *restaurant*
  - (vi) *office*, and
  - (vii) *convenience retail*
- and as further limited under Section 510 and Sub-section (9)(b)

(c) *Assembly*, limited to:

- (i) child-minding services
  - (ii) *assembly child care* or *child care*
  - (iii) places of worship, and
  - (iv) youth/seniors centres
- and as further limited under Sub-section (9)(b)

**1207 RM-5 Multi-Storey High Density Apartment Residential**

(d) *Civic*, limited to:

- (i) community centres
- (ii) *primary or secondary school*
- (iii) libraries
- (iv) museums
- (v) public squares, and
- (vi) parks

and as further limited under Sub-section (9)(b)

*Accessory uses*, limited to:

- (a) *Boarding*, as limited under Section 508(1)
- (b) *Accessory residential*
- (c) *Accessory home occupation*, as limited under Section 508(3)
- (d) *Accessory uses* located in a *building for apartment use*, limited to:
  - (i) *assembly child care or child care*
  - (ii) where the building for *apartment use* contains only Congregate Housing and Care:
    - (ii.i) retail sale of goods manufactured in resident workshops
    - (ii.ii) retail sale of goods and services to residents of the *building* only
  - (iii) workshops for residents, social and recreation space and facilities
- (e) *Lock-off units*, as limited under Section 508(6)
- (f) *Accessory street vending*
- (g) *Accessory institutional support services*

**(3) Conditions of Use**

Not applicable in this zone.

**(4) Lot Size**

The following *uses* are not permitted on *lots* having areas less than the corresponding areas set out below:

<u><i>Use</i></u>	<u><i>Minimum Lot Size (m<sup>2</sup>)</i></u>
(a) <i>Apartment or Townhouses</i>	1,110
<i>Boarding</i>	555
(b) The maximum <i>lot size</i> for a public park is 0.8 hectares.	

**1207 RM-5 Multi-Storey High Density Apartment Residential**

**(5) Density**

- (a) All *buildings* and *structures* together must not exceed a base *density gross floor area* of 2.5 times the *lot area*;
- (b) The overall maximum base *density* of 2.5 times the *lot area* may be increased as follows:

<b>Density Step</b>	<b>Condition of Additional Density</b>	<b>Additional Gross Floor Area Ratio</b>	<b>Maximum Total Gross Floor Area Ratio</b>
Step 1	A financial contribution of 75% of the land value of the additional <i>density</i> towards amenities as identified in the Citywide Official Community Plan	Up to 0.5 times the <i>lot area</i>	3.0 times the <i>lot area</i>
Step 2	A financial contribution of 65% of the land value of the additional <i>density</i> towards amenities as identified in the Citywide Official Community Plan	Up to 0.5 times the <i>lot area</i>	3.5 times the <i>lot area</i>
Step 3	At least 20% of additional <i>density</i> is used for <i>priority unit</i> types as identified in the Citywide Official Community Plan and the remainder of the additional <i>density</i> is used for <i>purpose-built rental</i> units	Up to 1.0 times the <i>lot area</i>	4.5 times the <i>lot area</i>

- (c) In-lieu of a financial contribution as identified in Sub-section (5)(b), the *City* may require the provision of an amenity, equivalent in value to the financial contribution for the additional *density* allowed.
- (d) For the purpose of Sub-section(5)(c), the following amenities are eligible for consideration in an application of a *density* bonus:
  - (i) public facilities;
  - (ii) space for community or non-profit groups that serve the community; and
  - (iii) extraordinary public realm improvements.
- (e) For each *accessible residential dwelling unit* and *adaptable unit* provided, 2 m<sup>2</sup> is excluded from the *gross floor area* calculation. The exclusion of 2 m<sup>2</sup> for *accessible residential dwelling units* and *adaptable units* shall only be applied to a maximum of 20% of all *dwelling units* within a *building*.

**1207 RM-5 Multi-Storey High Density Apartment Residential**

(f) The following *lots* are designated as *strategic housing lots*:

<b>Parcel Identifier No.</b>	<b>Address</b>	<b>Designation</b>
N/A	N/A	N/A

(g) On lots designated as *strategic housing lots*, the *density* may exceed the maximum *density* permitted under this zone, to a maximum of 1.0 additional floor area ratio, for the portion of the *gross floor area* that provides for *strategic housing*, if the *lot* maximizes the base *density* permitted under Sub-section (5)(a) and the *lot* maximizes the bonus *density* permitted under Sub-section (5)(b).

**(6) Lot Coverage**

All *buildings* and *structures* combined must not exceed a *lot coverage* of 90%.

**(7) Buildings Per Lot**

One or more *principal buildings* may be located on a *lot*.

**(8) Setbacks**

(a) *Buildings* and *structures* for the following *uses* must meet the siting distance from other *buildings* and *structures* where applicable and be sited no closer than the corresponding setbacks from the *lot* lines set out below:

<b><i>Use</i></b>	<b><i>Lot Lines along a Street or Lane (metres)</i></b>	<b><i>Interior Side Lot Line and Rear Lot Line (metres)</i></b>
All <i>buildings</i> or <i>structures</i>	3.0	6.0

(b) The above setbacks are subject to increase under Sections 518 and 519 and 523 or decrease under Section 514.

**(9) Location of Uses**

(a) A *townhouse use*:

- (i) must be in conjunction with a multi-storey high-density *apartment* development;
- (ii) must include fewer units than the number of units proposed for the *apartment use*;

## 1207 RM-5 Multi-Storey High Density Apartment Residential

- (b) A *commercial, assembly, and civic use* are only permitted in the City Centre Area Plan and the Burquitlam-Lougheed Neighbourhood Plan area as identified in the Citywide Official Community Plan.
- (c) A *lock-off unit use* is only permitted within the Evergreen Line Core and Shoulder Station areas as identified in Schedule “O”.

### (10) Height

*Buildings and structures for apartment use* must be not less than eight storeys in height and must not exceed a height of twenty storeys.

### (11) Building Size

- (a) *Buildings for townhouse use* must not exceed 55 metres in length, and must be designed with appropriate architectural breaks where the length of the *building* exceeds 37 metres.
- (b) *Buildings for apartment use* must not exceed 65 metres in length, and must be designed with appropriate architectural breaks where the length of the *building* exceeds 37 metres.
- (c) Notwithstanding Sub-section (11)(b), where a directional turn in the *building* is provided, the Director of Development Services may permit *buildings* for *apartment use* that extend beyond 65 metres in length.

### (12) Off-Street Parking and Loading

- (a) All *accessory off-street parking* must be provided as *concealed parking*;
- (b) Above-grade structured parking may be located up to the second *storey* only if at least one-*storey* of *underground parking* is also provided;
- (c) Above-grade structured *off-street parking* along a street must be separated from the *building* face by other permitted *uses*; and
- (d) The regulations under Part 7 apply.

### (13) Other Regulations

- (a) Each *dwelling unit* in a *building* for *apartment* or *townhouse use* must be provided with access to an on-site *common amenity area* or areas totaling not less than 5.0 m<sup>2</sup> per *dwelling unit*.

**1207 RM-5 Multi-Storey High Density Apartment Residential**

- (b) The number of *studio dwelling units* in any single *building* must not exceed 30% of all *dwelling units* in the *building*.
- (c) Despite the definition of “*lot*” contained in Part 2 of this Bylaw, a *lot* in the RM-5 zone may consist of two or more contiguous parcels of land (including air space parcels) where:
  - (i) the *use of land* and *gross floor areas of buildings* on such parcels taken together comply with the provisions of the RM-5 zone;
  - (ii) the parcels are subject of a development providing for the parcels to be developed together as a single development; and
  - (iii) there is registered against each such parcel a covenant under Section 219 of the Land Title Act in favour of the *City* requiring that such parcel be developed in accordance with Sub-section (13)(c)(i), and containing such other provisions as the *City* may require.
- (d) The regulations under Part 2, Part 3, Part 4, Part 5 and Part 6 apply.

## PART 12 APARTMENT RESIDENTIAL ZONES

### 1208 RM-6 Multi-Storey High Density Apartment Residential

#### (1) Intent

This zone provides for *apartment* development with no *height* limit at high *density*.

#### (2) Permitted Uses

*Principal uses*, limited to:

(a) Residential, limited to:

- (i) *Apartment*
- (ii) *Townhouse* as limited under Sub-section (9)(a)
- (iii) *Congregate Housing and Care*

(b) *Commercial*, limited to the following and not including a *drive-through business*:

- (i) *retail – personal goods*
- (ii) *retail – general*
- (iii) *personal service*
- (iv) *business and household service*
- (v) *restaurant*
- (vi) *office*
- (vii) *convenience retail*

and as further limited under Section 510 and Sub-section (9)(b)

(c) *Assembly*, limited to:

- (i) child-minding services
- (ii) *assembly child care* or *child care*
- (iii) places of worship
- (iv) youth/seniors centres

and as further limited under Sub-section (9)(b)

(d) *Civic*, limited to:

- (i) community centres
- (ii) *primary or secondary school*
- (iii) libraries
- (iv) museums
- (v) public squares
- (vi) parks

and as further limited under Sub-section (9)(b)

## 1208 RM-6 Multi-Storey High Density Apartment Residential

*Accessory uses*, limited to:

- (a) *Boarding*, as limited under Section (508)(1)
- (b) *Accessory residential*
- (c) *Accessory home occupation*, as limited under Section 508(3)
- (d) *Accessory uses* located in a *building* for *apartment use*, limited to:
  - (i) *assembly child care* or *child care*
  - (ii) where the building for *apartment use* contains only *Congregate Housing and Care*:
    - (ii.i) retail sale of goods manufactured in resident workshops
    - (ii.ii) retail sale of goods and services to residents of the *building* only
    - (ii.iii) workshops for residents, social and recreation space and facilities
- (e) *Lock-off units*, as limited under Section 508(6)
- (f) *Accessory street vending*
- (g) *Accessory institutional support services*

### (3) Conditions of Use

Not applicable in this zone.

### (4) Lot Size

The following *uses* are not permitted on *lots* having areas less than the corresponding *uses* set out below:

<u>Use</u>	<u>Minimum Lot Size (m<sup>2</sup>)</u>
(a) <i>Apartment</i> or <i>Townhouses</i>	1,110
<i>Boarding</i>	555
(b) The maximum <i>lot size</i> for a public park is 0.8 hectares.	

### (5) Density

- (a) All *buildings* and *structures* together must not exceed a base *density gross floor area* of 2.5 times the *lot area*;
- (b) The overall maximum base *density* of 2.5 times the *lot area* may be increased as follows:

1208 RM-6 Multi-Storey High Density Apartment Residential

<b>Density Step</b>	<b>Condition of Additional Density</b>	<b>Additional Gross Floor Area Ratio</b>	<b>Maximum Total Gross Floor Area Ratio</b>
Step 1	A financial contribution of 75% of the land value of the additional <i>density</i> towards amenities as identified in the Citywide Official Community Plan	Up to 0.5 times the <i>lot area</i>	3.0 times the <i>lot area</i>
Step 2	A financial contribution of 65% of the land value of the additional <i>density</i> towards amenities as identified in the Citywide Official Community Plan	Up to 0.5 times the <i>lot area</i>	3.5 times the <i>lot area</i>
Step 3	A financial contribution of 50% of the land value of the additional <i>density</i> , of which 50% will be towards amenities, and 50% towards affordable housing as identified in the Citywide Official Community Plan.	Up to 0.5 times the <i>lot area</i>	4.0 times the <i>lot area</i>
Step 4	At least 20% of additional <i>density</i> is used for <i>priority unit types</i> as identified in the Citywide Official Community Plan and the remainder of the additional <i>density</i> is used for <i>purpose-built rental units</i>	Up to 1.0 times the <i>lot area</i>	5.0 times the <i>lot area</i>

- (c) In-lieu of a financial contribution as identified in Sub-section (5)(b), the *City* may require the provision of an amenity, equivalent in value to the financial contribution for the additional *density* allowed.
- (d) For the purpose of Sub-section(5)(c), the following amenities are eligible for consideration in an application of a *density* bonus:
  - (i) public facilities;
  - (ii) space for community or non-profit groups that serve the community; and
  - (iii) extraordinary public realm improvements.
- (e) For each *accessible residential dwelling unit* and *adaptable unit* provided, 2 m<sup>2</sup> is excluded from the *gross floor area* calculation. The exclusion of 2 m<sup>2</sup> for *accessible residential dwelling units* and *adaptable units* shall only be applied to a maximum of 20% of all *dwelling units* within a *building*.

**1208 RM-6 Multi-Storey High Density Apartment Residential**

(f) The following *lots* are designated as *strategic housing lots*:

<b>Parcel Identifier No.</b>	<b>Address</b>	<b>Designation</b>
007-854-111	515 – 525 Foster Ave	<i>Strategic housing</i>

(g) On lots designated as *strategic housing lots*, the *density* may exceed the maximum *density* permitted under this zone, to a maximum of 1.0 additional floor area ratio, for the portion of the *gross floor area* that provides for *strategic housing*, if the *lot* maximizes the base *density* permitted under Sub-section (5)(a) and the *lot* maximizes the bonus *density* permitted under Sub-section (5)(b).

(h) All or part of the financial contribution identified in Sub-section (5)(b), Step 3, towards affordable housing will be waived if *below-market rental units* or *non market housing rental units*, each managed by a *third party housing partner*, are provided, in accordance with direction set out in the Citywide Official Community Plan. The amount of the financial contribution eligible to be waived will be equal to the value of the *below-market rental units* or *non market housing rental units* provided.

(i) All or part of the financial contribution identified in Sub-section (5)(b), Step 3, towards amenities will be waived under the following conditions:

(i) all of the financial contribution towards affordable housing has already been waived due to the provision of *below-market rental units* or *non market housing rental units* in accordance with Sub-section (5)(h); and

(ii) additional *below-market rental units* or *non market housing rental units* are provided, in accordance with direction set out in the Citywide Official Community Plan.

The amount of the financial contribution eligible to be waived will be equal to \$1.00 for every \$1.20 of the value of the additional *below-market rental units* or *non market housing rental units* provided.

**(6) Lot Coverage**

All *buildings* and *structures* combined must not exceed a *lot coverage* of 90%.

**(7) Buildings Per Lot**

One or more *principal buildings* may be located on a *lot*.

## 1208 RM-6 Multi-Storey High Density Apartment Residential

### (8) Setbacks

- (a) *Buildings or structures* for the following *uses* must meet the siting distance from other *buildings and structures* where applicable and must be sited no closer than the corresponding setbacks from *lot lines* set out below:

<i>Use</i>	<i>Lot Lines along a Street or Lane (metres)</i>	<i>Interior Side Lot Line and Rear Lot Line (metres)</i>
All <i>buildings or structures</i>	3.0	6.0

- (b) The above setbacks may increase under Sections 518, 519 and 523 or decrease under Section 514.

### (9) Location of Uses

- (a) A *townhouse use*:
- (i) must be in conjunction with a multi-storey high-density *apartment* development;
  - (ii) must include fewer units than the number of units proposed for the *apartment use*;
- (b) A *commercial, assembly, and civic use* are only permitted in the City Centre Area Plan and the Burquitlam-Lougheed Neighbourhood Plan area as identified in the Citywide Official Community Plan.
- (c) A *lock-off unit use* is only permitted within the Evergreen Line Core and Shoulder Station areas as identified in Schedule "O".

### (10) Height

*Buildings and structures* located in the designated High Density Apartment Residential area of Schedule "S" of the Bylaw must not exceed a *height* of twenty-five *storeys*. For all other areas, *building and structure height* is not applicable in this zone.

### (11) Building Size

- (a) *Buildings* for *townhouse use* must not exceed 55 metres in length, and must be designed with appropriate architectural breaks where the length of the *building* exceeds 37 metres.

## 1208 RM-6 Multi-Storey High Density Apartment Residential

- (b) *Buildings for apartment use* must not exceed 65 metres in length, and must be designed with appropriate architectural breaks where the length of the *building* exceeds 37 metres.
- (c) Notwithstanding Sub-section (11)(b), where a directional turn in the *building* is provided, the Director of Development Services may permit *buildings for apartment use* that extend beyond 65 metres in length.

### (12) Off-Street Parking and Loading

- (a) All *accessory off-street parking* must be provided as *concealed parking*;
- (b) Above-grade structured parking may be located up to the second *storey* only if at least one-*storey* of *underground parking* is also provided;
- (c) Above-grade structured *off-street parking* along a street must be separated from the *building* face by other permitted *uses*; and
- (d) The regulations under Part 7 apply.

### (13) Other Regulations

- (a) Each *dwelling unit* in a *building for apartment or townhouse use* must be provided with access to an on-site *common amenity area* or areas totaling not less than 5.0 m<sup>2</sup> per *dwelling unit*.
- (b) The number of *studio dwelling units* in any single *building* must not exceed 30% of all *dwelling units* in the *building*.
- (c) Despite the definition of "*lot*" contained in Part 2 of this Bylaw, a *lot* in the RM-6 zone may consist of two or more contiguous parcels of land (including air space parcels) where:
  - (i) the *use of land* and *gross floor areas of buildings* on such parcels taken together comply with the provisions of the RM-6 zone;
  - (ii) the parcels are subject of a development providing for the parcels to be developed together as a single development; and
  - (iii) there is registered against each such parcel a covenant under Section 219 of the Land Title Act in favour of the *City* requiring that such parcel be developed in accordance with Sub-section (13)(c)(i), and containing such other provisions as the *City* may require.
- (d) The regulations under Part 2, Part 3, Part 4, Part 5 and Part 6 apply.