2201 Definitions

For ease of use, all words appearing in *italics* are defined terms in this Part or Bylaw. In this Part:

CARRIAGE HOUSE means an accessory dwelling unit located primarily above a detached accessory off-street parking structure that is subordinate to the principal building in terms of size, scale and massing, with a separate entrance directly from the exterior and all floor area at or above finished grade.

DUPLEX RESIDENTIAL means a residential use in which a principal building is used for two principal dwelling units.

FOURPLEX RESIDENTIAL means a residential use in which a principal building is used for four principal dwelling units.

GARDEN COTTAGE means an accessory dwelling unit in a single storey building on a lot that is detached from the principal building and is subordinate to the principal building in terms of size, scale, and massing.

MULTIPLEX RESIDENTIAL means a residential use that includes three or more principal dwelling units on a lot in attached, detached or semi-detached forms; **excludes** apartment, townhouse, fourplex residential and triplex residential.

NEIGHBOURHOOD ATTACHED RESIDENTIAL means the "Neighbourhood Attached Residential" land use designation as established in the City of Coquitlam's Citywide Official Community Plan Bylaw No. 3479, 2001 as amended or superseded from time to time.

ONE-FAMILY RESIDENTIAL means a residential use in which the building on a lot is used for one dwelling unit; may also contain a secondary suite.

SECONDARY SUITE means an accessory dwelling unit contained within a building of residential occupancy containing only one principal dwelling unit.

TRIPLEX RESIDENTIAL means a residential use in which a principal building is used for three principal dwelling units.

This page is intentionally left blank

2202 Interpretation

(1) Application

Part 22 Legacy Zones only apply to lands that have such existing zoning as of June 30, 2025. The provisions of these zones shall be used to regulate the *use* and development of applicable lands until such lands are rezoned, but the Part 22 Legacy Zones are not intended to be considered for rezoning of any lands within the *City*.

(2) Secondary Suites

A secondary suite is permitted only where it complies with all of the following:

- (a) Only one secondary suite is permitted in a one-family residential dwelling and not in a detached accessory building;
- (b) The secondary suite must be contained within the principal building and not in a detached accessory building;
- (c) The *secondary suite* is not subject to *subdivision* under the provisions of either the Land Title Act or the Strata Property Act;
- (d) Notwithstanding the regulations under Part 7, Sub-section 705(2), the additional secondary suite accessory off-street parking space must be located on-site with a minimum space length of 5.0 metres; and
- (e) Where the *one-family residential use* is serviced by an on-site sewer system, confirmation in writing from the applicable licensing body that the capacity of the sewer system will not be compromised by the presence of the *secondary suite*.

This page is intentionally left blank

2203 RS-1 One-Family Residential

(1) Intent

This zone provides exclusively for the development of low *density* single *family lots* with a minimum *lot size* of 650 m², with limited appropriate *accessory uses*.

(2) Permitted Uses

Principal uses, limited to:

(a) One-family residential

Accessory uses, limited to:

- (a) Boarding, as limited under Section 508(1)
- (b) Secondary Suite, as limited under Section 2202(2)
- (c) Accessory residential
- (d) Accessory home occupation, as limited under Section 508(3)

(3) Conditions of Use

Not applicable in this zone.

(4) Lot Size

- (f) A one-family residential use is not permitted on a lot having an area less than:
 - (i) 650 m²; or
 - (ii) 555 m^2 , where the *lot* being subdivided has an area between 1,110 m² and 1951 m² and was in existence prior to 1996 02 19.
- (g) The minimum lot width is 13.5 metres;
- (h) The minimum lot depth is 22.7 metres;
- (i) The maximum *lot size* for a public park is 0.8 hectares.

2203 RS-1 One-Family Residential

(5) Density

- (a) The maximum *density* shall be 18 units per hectare;
- (b) When calculating units per hectare, *secondary suite dwelling units* are excluded from the calculation.

(6) Lot Coverage

All buildings and structures together must not exceed a lot coverage of 45%.

(7) Buildings Per Lot

No more than one *principal building* is permitted per *lot*.

(8) Setbacks

(a) Buildings and structures for the following uses must meet the siting distance from other buildings and structures where applicable and be sited no closer than the corresponding setbacks from the lot lines set out below:

Use	Front Lot Line (metres)	Rear Lot Line (metres)	Interior Side Lot Line (metres)	Exterior Side Lot Line (metres)
One-family residential, and-public parks	7.6	7.6	1.8	3.8
Accessory residential and accessory off- street parking buildings and structures attached to or sited less than 1.6 metres from a building for residential use	7.6	7.6	1.8	3.8
Detached accessory residential and accessory off-street parking buildings and structures where sited 1.6 metres or more from a building for residential use	7.6	1.2	1.2	3.8

- (b) The siting distance is measured from the outermost limit of the *building* or any permitted projections, whichever is greater.
- (c) The above setback may increase under Sections 518, 519 and 523 or decrease under Section 514.

2203 RS-1 One-Family Residential

(9) Location of Uses

Secondary suite use, see Section 2202(2).

(10) Height

- (a) Buildings and structures for one-family residential use must not exceed a height of:
 - (i) 7.3 metres; or
 - (ii) 11.0 metres for *buildings* and *structures* having a roof slope with a pitch of 3 in 12 or greater for an area of at least 80% of all roof surfaces.
- (b) Detached buildings and structures for accessory residential or accessory off-street parking must not exceed a height, measured from finished grade, of:
 - (i) 3.7 metres; or
 - (ii) 4.6 metres, for an *accessory building* that has a roof with a pitch of 4 in 12 or greater for an area of at least 80% of all roof surfaces.


(11) Building Size

- (a) The maximum volume occupied by the *principal building* on a *lot* shall be determined by the simultaneous consideration on each face of the *building* of both the *perimeter wall height* and the *perimeter wall area* as specified below:
 - (i) The average *perimeter wall height* of each *outermost building face*, when considering the slope of the *lot*, will be determined by the following:

(i.i)	0.00 to 1.00 % slope at each property line	6.1 metres
	1.01 to 5.00 % slope at each property line	6.4 metres
	5.01 to 10.00 % slope at each property line	6.7 metres
	10.01 to 15.00 % slope at each property line	7.0 metres
	15.01 % slope or greater	7.3 metres

- (i.ii) Parts of the building wall length may exceed the maximum perimeter wall height, but must never exceed a maximum wall height of 8.4 metres.
- (ii) Those parts of the *building* that extend beyond a plane formed by lines projecting inward at an angle of 45 degrees from the vertical at the respective permitted average *perimeter wall heights* as measured from grade along the lines of the *outermost building faces*, will be considered in the determination of average *perimeter wall height*. Gable ends, dormers and those parts of the building *wall* identified under sub-section (11)(a)(i)(i.i) will not be included in the determination of average *perimeter wall height*.

2203 RS-1 One-Family Residential



(iii) The *perimeter wall area* of each *outermost building face*, when considering the slope of the *lot*, will be determined by the following:

(iii.i)	0.00 to 1.00 % slope at each property line	93 sq. metres
	1.01 to 5.00 % slope at each property line	97 sq. metres
	5.01 to 10.00 % slope at each property line	102 sq. metres
	10.01 to 15.00 % slope at each property	107 sq. metres
	line	-
	15.01 % slope or greater	110 sq. metres

- (iii.ii) The area of gable ends and dormers above the second floor that face the side property line opposite another building site must be counted in the calculation of *perimeter wall area*, except if the face of the gable end or dormer is set back at least 2.4 metres from the building face of the floor below.
- (iv) Sub-section (11)(a) does not apply to properties located in the highlighted areas shown on Schedules 'C' and 'D' to this Bylaw.
- (b) The maximum length of any wall of a detached building or structure for an accessory residential use and an accessory off-street parking use is 9.2 metres.

(12) Off-Street Parking and Loading

The regulations under Part 7 apply.

(13) Other Regulations

The regulations under Part 2, Part 3, Part 4, Part 5, and Part 6 apply.

2204 RS-3 One-Family Residential

(1) Intent

This zone provides for the development of low *density* single *family lots* with a minimum *lot size* of 555 m², with limited appropriate *accessory uses*.

(2) Permitted Uses

Principal uses, limited to:

(a) One-family residential

Accessory uses, limited to:

- (a) Boarding, as limited under Section 508(1)
- (b) Secondary Suite, as limited under Section 2202(2)
- (c) Accessory residential
- (d) Accessory home occupation, as limited under Section 508(3)

(3) Conditions of Use

Not applicable in this zone.

(4) Lot Size

- (a) A one-family residential use is not permitted on a lot having an area less than 555 m²;
- (b) The minimum *lot width* is 13.5 metres;
- (c) The minimum *lot* depth is 22.7 metres;
- (d) The maximum *lot size* for a public park is 0.8 hectares.

(5) Density

- (a) The maximum *density* shall be 18 units per hectare.
- (b) When calculating units per hectare, *secondary suite dwelling units* are excluded from the calculation.

2204 RS-3 One-Family Residential

(6) Lot Coverage

All buildings and structures together must not exceed a lot coverage of 45%.

(7) Buildings Per Lot

No more than one *principal building* is permitted per *lot*.

(8) Setbacks

(a) Buildings and structures for the following uses must meet the siting distance from other buildings and structures where applicable and be sited no closer than the corresponding setbacks from the lot lines set out below:

Use	Front Lot Line (metres)	Rear Lot Line (metres)	Interior Side Lot Line (metres)	Exterior Side Lot Line (metres)
One-family residential and public parks	7.6	7.6	1.8	3.8
Accessory residential and accessory off- street parking buildings and structures attached to or sited less than 1.6 metres from a building for residential use	7.6	7.6	1.8	3.8
Detached accessory residential and accessory off-street parking buildings and structures where sited 1.6 metres or more from a building for residential use	7.6	1.2	1.2	3.8

- (b) The siting distance is measured from the outermost limit of the *building* or any permitted projections, whichever is greater, except as specifically excluded.
- (c) The above setbacks may increase under Sections 518, 519 and 523 or decrease under Section 514.

(9) Location of Uses

Secondary suite use, see Section 2202(2).

2204 RS-3 One-Family Residential

(10) Height

- (a) Buildings and structures for one-family residential use must not exceed a height of:
 - (i) 7.3 metres; or
 - (ii) 11.0 metres for *buildings* and *structures* having a roof slope with a pitch of 3 in 12 or greater for an area of at least 80% of all roof surfaces.
- (b) Detached buildings and structures for accessory residential or accessory off-street parking must not exceed a height, measured from finished grade, of:
 - (i) 3.7 metres; or
 - (ii) 4.6 metres, for an *accessory building* that has a roof with a pitch of 4 in 12 or greater for an area of at least 80% of all roof surfaces.


(11) Building Size

- (a) The maximum volume occupied by the *principal building* on a *lot* shall be determined by the simultaneous consideration on each face of the *building* of both the *perimeter wall height* and the *perimeter wall area* as specified below:
 - (i) The average *perimeter wall height* of each *outermost building face*, when considering the slope of the *lot*, will be determined by the following:

(i.i)	0.00 to 1.00 % slope at each property line	6.1 metres
	1.01 to 5.00 % slope at each property line	6.4 metres
	5.01 to 10.00 % slope at each property line	6.7 metres
	10.01 to 15.00 % slope at each property line	7.0 metres
	15.01 % slope or greater	7.3 metres

- (i.ii) Parts of the building wall length may exceed the maximum perimeter wall height, but must never exceed a maximum wall height of 8.4 metres.
- (ii) Those parts of the *building* that extend beyond a plane formed by lines projecting inward at an angle of 45 degrees from the vertical at the respective permitted average *perimeter wall heights* as measured from grade along the lines of the *outermost building faces*, will be considered in the determination of average *perimeter wall height*. Gable ends, dormers and those parts of the building *wall* identified under sub-section (11)(a)(i)(i.i) will not be included in the determination of average *perimeter wall height*.

2204 RS-3 One-Family Residential



(iii) The *perimeter wall area* of each *outermost building face*, when considering the slope of the *lot*, will be determined by the following:

	3	
(iii.i)	0.00 to 1.00 % slope at each property line	93 sq. metres
	1.01 to 5.00 % slope at each property line	97 sq. metres
	5.01 to 10.00 % slope at each property line	102 sq. metres
	10.01 to 15.00 % slope at each property line	107 sq. metres
	15.01 % slope or greater	110 sq. metres

- (iii.ii) The area of gable ends and dormers above the second floor that face the side property line opposite another *building* site must be counted in the calculation of *perimeter wall area*, except if the face of the gable end or dormer is set back at least 2.4 metres from the *building* face of the floor below.
- (iv) Sub-section (11)(a) does not apply to properties located in the highlighted areas shown on Schedules 'C' and 'D' to this Bylaw.
- (b) The maximum length of any wall of a detached building or structure for an accessory residential use and an accessory off-street parking use is 9.2 metres.

(12) Off-Street Parking and Loading

The regulations under Part 7 apply.

(13) Other Regulations

The regulations under Part 2, Part 3, Part 4, Part 5, and Part 6 apply.

2205 RS-4 One-Family Compact Residential

(1) Intent

This zone provides for the development of low *density* single *family lots* with a minimum *lot size* of 375 m^2 , with limited appropriate accessory facilities.

(2) Permitted Uses

Principal uses, limited to:

(a) One-family residential

Accessory uses, limited to:

- (a) Boarding, as limited under Section 508(1)
- (b) Secondary Suite, as limited under Section 2202(2)
- (c) Accessory residential
- (d) Accessory home occupation, as limited under Section 508(3)

(3) Conditions of Use

Not applicable in this zone.

(4) Lot Size

- (a) A one-family residential use is not permitted on a lot having an area less than 375 m²;
- (b) The minimum *lot width* is 12.5 metres
- (c) The minimum lot depth is 22.7 metres;
- (d) The maximum *lot size* for a public park is 0.8 hectares.

(5) Density

- (a) The maximum *density* shall be 27 units per hectare.
- (b) When calculating units per hectare, *secondary suite dwelling units* are excluded from the calculation.

2205 RS-4 One-Family Compact Residential

(6) Lot Coverage

All buildings and structures together must not exceed a lot coverage of 45%.

(7) Buildings Per Lot

No more than one *principal building* is permitted per *lot*.

(8) Setbacks

(a) Buildings and structures for the following uses must meet the siting distance from other buildings and structures where applicable and be sited no closer than the corresponding setbacks from the lot lines set out below:

Use	Front Lot Line (metres)	Rear Lot Line (metres)	Interior Side Line (for portion of Building one storey or less) (metres)	Interior Side Lot Line (for portion of Building more than one storey) (metres)	Interior Side Lot Line (metres)	Exterior Side Lot Line (metres)
One-family residential and public parks	6	6	1.25	1.75		3
Accessory residential and accessory off-street parking buildings and structures attached to or sited less than 1.6 metres from a building for residential use	6	6	1.25	1.75		3
Detached accessory residential and accessory off-street parking buildings and structures where sited 1.6 metres or more from a building for residential use	7.6	1.2			1.2	3.8

2205 RS-4 One-Family Compact Residential

- (b) The siting distance is measured from the outermost limit of the *building* or any permitted projections, whichever is greater.
- (c) Despite Sub-section (8)(a), a reduced front setback is permitted, as long as the average setback of the front faces of the buildings and structures on the lot is not less than 6 metres from the front lot line and no part of any building or structure is less than 2 metres from a front lot line. This reduction is not permitted on any lot which has an exterior side lot line.
- (d) The above setbacks may increase under Sections 518, 519 and 523 or decrease under Section 514.

(9) Location of Uses

Secondary suite use, see Section 2202(2).

(10) Height

- (a) Buildings and structures for one-family residential use must not exceed a height of:
 - (i) 7.3 metres, or
 - (ii) 9.0 metres for *buildings* and *structures* having a roof slope with a pitch of 3 in 12 or greater for an area of at least 80% of all roof surfaces.
- (b) Detached buildings and structures for accessory residential or accessory off-street parking must not exceed a height, measured from finished grade, of:
 - (i) 3.7 metres; or
 - (ii) 4.6 metres, for an *accessory building* that has a roof with a pitch of 4 in 12 or greater for an area of at least 80% of all roof surfaces.

(11) Building Size

The maximum length of any wall of a detached building or structure for an accessory residential use and an accessory off-street parking use is 9.2 metres.

(12) Off-Street Parking and Loading

The regulations under Part 7 apply.

(13) Other Regulations

The regulations under Part 2, Part 3, Part 4, Part 5, and Part 6 apply.

This page is intentionally left blank

2206 RT-1 Infill Residential

(1) Intent

This zone provides for ground-oriented infill *residential uses* in developments comprised of up to a maximum of four *principal dwelling units* per *lot*.

(2) Permitted Uses

Principal uses, limited to:

- (a) Residential use limited to:
 - (i) One-family residential
 - (ii) Duplex residential, as limited under Sub-section (3)(a)
 - (iii) Triplex residential, as limited under Sub-sections (3)(a) and (3)(c)
 - (iv) Fourplex residential, as limited under Sub-sections (3)(a) and (3)(c)

Accessory uses, limited to:

- (a) Boarding, as limited under Section 508(1)
- (b) Secondary suite, as limited under Section 2202(2)
- (c) Carriage house, as limited under Sub-sections (3)(b), 3)(c), (4)(g) and (9)(a)
- (d) Garden cottage, as limited under Sub-sections (3)(b), (3)(c), (4)(g) and (9)(b)
- (e) Accessory residential
- (f) Accessory home occupation, as limited under Section 508(3)
- (g) Accessory institutional support services

(3) Conditions of Use

- (a) Principal residential uses other than one-family residential use are permitted only if the lot is fronted by a street and, if applicable, a lane:
 - (i) that is already the maximum width required for the classification of that *street* or *lane*, as specified in Schedule "R" to this bylaw and in accordance with the *street* and *lane* width and design standards in the *Subdivision and Development Servicing Bylaw*; or

- (ii) that is made capable of being constructed to the width required for the classification of that *street* or *lane*, as specified in Schedule "R" to this bylaw, through a dedication of land to the City (or in the City's sole discretion, the grant of a right-of-way) in accordance with the *street* and *lane* width and design standards in the *Subdivision and Development Servicing Bylaw*.
- (b) Carriage house and garden cottage uses:
 - (i) permitted as an accessory use to a one-family residential use only;
 - (ii) limited to either one *carriage house* or one *garden cottage*, but not both, per *lot*; and
 - (iii) not permitted on a *lot* in addition to a *secondary suite use*, except as provided for under Sub-section (4)(g);
 - (iv) must provide one unhindered accessory off-street parking space for the exclusive use of the carriage house or garden cottage use in accordance with Part 7; and
 - (v) not subject to *subdivision* under the provisions of either the *Land Title Act* or the *Strata Property Act*.
- (c) Garden cottage, carriage house, triplex residential and fourplex residential uses are only permitted on lots designated Neighbourhood Attached Residential and Baycrest Low Density Residential in the Partington Creek Neighbourhood Plan.

(4) Lot Size

- (a) A one-family residential use:
 - (i) is not permitted on a *lot* having an area less than 650 m²; or
 - (ii) is not permitted on a *lot* having an area less than 555 m² where the *lot* was created by *subdivision* from a *lot* having an area between 1,100 m² and 1,951 m² and was in existence prior to February 19, 1996;
 - (iii) must have a minimum lot width of 13.5 metres; and
 - (iv) must have a minimum lot depth is 22.7 metres.
- (b) A one-family residential use for lots designated Neighbourhood Attached Residential:
 - (i) is not permitted on a lot having an area less than 370 m²; and
 - (ii) must have a minimum *lot width* of:
 - (ii.i) 10 metres for a *lot* with an accessible *lane*;
 - (ii.ii) 12 metres for a *lot* without an accessible *lane*;
 - (ii.iii) 12 metres for a lot with an exterior lot corner; or

- (c) A duplex residential use:
 - (i) is not permitted on a lot having an area less than 740 m²; and
 - (ii) must have a minimum *lot* depth of 22.7 metres.
- (d) A duplex residential use for lots designated Neighbourhood Attached Residential:
 - (i) is not permitted on a *lot* having an area less than 465 m²; and
 - (ii) must have a minimum lot width of:
 - (ii.i) 10 metres for a *lot* with an accessible *lane*;
 - (ii.ii) 12 metres for a *lot* without an accessible *lane*:
 - (ii.iii) 12 metres for a lot with an exterior lot corner; or
- (e) A triplex residential use:
 - (i) is not permitted on a lot having an area less than 650 m²; and
 - (ii) must have a minimum lot width of 18.5 metres.
- (f) A fourplex residential use:
 - (i) is not permitted on a lot having an area less than 740 m²; and
 - (ii) must have a minimum lot width of 20 metres.
- (g) A lot that is designated Neighbourhood Attached Residential and that has an area greater than 555 m² may have one garden cottage or one carriage house in addition to a secondary suite use.
- (h) The maximum *lot size* for a public park is 0.8 hectares.

(5) Density

- (a) All buildings and structures, including those for accessory off-street parking uses and accessory residential uses, for a one-family residential use on a lot having an area between 370 m² and 465 m² must not exceed a floor area of 0.5 times the lot area, except that the floor area may be increased to 0.6 times the lot area if:
 - (i) there is also a secondary suite or a carriage house or a garden cottage use; and
 - (ii) the *lot* is fronted by a *street* or *lane* meeting the conditions of Sub-section (3)(a)(i) or (3)(a)(ii).
- (b) All buildings and structures, including those for accessory off-street parking uses and accessory residential uses, for a one-family residential use or a one-family residential use with a secondary suite use, on a lot having an area of greater than 465 m² must not exceed a floor area of 0.5 times the lot area, except that the floor area may be increased to 0.6 times the lot area if:

- (i) there is also a *carriage house* or a *garden cottage use*, if permitted by Subsection (4)(g); and
- (ii) the *lot* is fronted by a *street* or *lane* meeting the conditions of Sub-section (3)(a)(i) or (3)(a)(ii).
- (c) The *floor area* permitted in (a) and (b) above may be increased by up to 40 m² for *accessory off-street parking uses*.
- (d) All buildings and structures, including those for accessory off-street parking uses and accessory residential uses, for duplex residential use must not exceed a floor area of 0.65 times the lot area.
- (e) All buildings and structures, including those for accessory off-street parking uses and accessory residential uses, for triplex residential or fourplex residential uses must not exceed a floor area of 0.75 times the lot area, except that where accessory off-street parking uses are underground parking, and enclosed within an underground structure:
 - (i) the *floor area* **excludes** the *underground parking* areas, and the underground areas contained within this *underground structure* used for storage, and common maintenance, mechanical, and electrical purposes.
- (f) The maximum *floor area* for a *carriage house* or a *garden cottage use* on a *lot* is 90 m² or the total *floor area* of the *principal building*, whichever is less.

(6) Lot Coverage

All buildings and structures together must not exceed a lot coverage of 50%.

(7) Buildings Per Lot

No more than one principal building is permitted per lot.

(8) Setbacks

(a) Subject to Sections 514, 518, 519 and 523, buildings and structures for the following uses must meet the siting distance measured from the outermost limit of the building or any permitted projections (whichever is greater) from other buildings and structures where applicable, and be sited no closer than the corresponding setbacks from the lot lines set out below:

2206 RT-1 Infill Residential

On lots not designated Neighbourhood Attached Residential:					
Use	Front Lot Line (metres)	Rear Lot Line (metres)	Interior Side Lot Line (metres)	Exterior Side Lot Line (metres)	
One-family residential; duplex residential; triplex residential; fourplex residential; and public parks	7.6	7.6	1.8	3.8	
Accessory residential and accessory off-street parking buildings and structures attached to or sited less than 1.6 metres from a building for residential use	7.6	7.6	1.8	3.8	
Detached accessory residential and accessory off-street parking buildings and structures where sited 1.6 metres or more from a building or residential use	Not applicable. See Sub- section (9)(c)	1.2	1.2	3.8	

On lots designated Neighbourhood Attached Residential:					
Use	Front Lot Line (metres)	Rear Lot Line (metres)	Interior Side Lot Line (metres)	Exterior Side Lot Line (metres)	
One-family residential; duplex residential; triplex residential; and fourplex residential	5.5	6.0	1.2	3.0	
Carriage house	See Sub- section (9)(a)	1.2	1.2	3.0	
Garden Cottage	See Sub- section (9)(b)	1.2	1.2	3.0	
Accessory residential and accessory off-street parking buildings and structures attached to or sited less than 1.6 metres from a building for residential use	5.5	6.0	1.2	3.0	
Detached accessory residential and accessory off-street parking buildings and structures where sited 1.6 metres or more from a building for residential use	Not applicable. See Sub- section (9)(c)	1.2	1.2	3.0	
Detached accessory off-street parking buildings and structures, carriage houses, and garden cottages on lots less than 11 metres wide	Not applicable. See Sub- sections (9)(a), (b) and (c)	1.2	0.9	3.0	

- (b) Despite Sub-section (8)(a), a dwelling unit within a duplex residential use may be sited abutting a second dwelling unit at the interior side lot line as long as the two dwelling units are attached to each other at that lot line.
- (c) A minimum separation distance of 6.0 metres measured from any wall face must be maintained between a principal building and any wall of all detached accessory buildings and accessory off-street parking building or structures for lots designated Neighbourhood Attached Residential.

(9) Location of Uses

- (a) A carriage house use must be located in the rear yard.
- (b) A garden cottage use:
 - (i) must be situated at finished grade;
 - (ii) may be attached to a detached building for accessory residential or accessory off-street parking use; and
 - (iii) must be located in the rear yard.
- (c) All detached accessory residential and detached accessory off-street parking buildings and structures must be located in the rear yard.

(10) Height

- (a) Principal buildings and structures for a one-family residential use must not exceed a height of:
 - (i) 7.3 metres; or
 - (ii) 11.0 metres for *buildings* and *structures* having a roof slope with a pitch of 3 in 12 or greater for an area of at least 80% of all roof surfaces.
- (b) Principal buildings and structures for duplex residential, triplex residential and fourplex residential uses must not exceed a height of:
 - (i) 9.5 metres; or
 - (ii) 11.0 metres for *buildings* and *structures* having a roof slope with a pitch of 3 in 12 or greater for an area of at least 80% of all roof surfaces.
- (c) Detached buildings and structures for carriage house use must not exceed a height of:
 - (i) 5.0 metres; or
 - (ii) 7.0 metres for *buildings* and *structures* having a roof slope with a pitch of 3 in 12 or greater for an area of at least 80% of all roof surfaces.


- (d) Detached buildings and structures for garden cottage use, accessory residential or accessory off-street parking must not exceed a height measured from finished grade, of:
 - (i) 3.7 metres; or
 - (ii) 4.6 metres, for an *accessory building* that has a roof with a pitch of 4 in 12 or greater for an area of at least 80% of all roof surfaces.

(11) Building Size

- (a) The maximum volume occupied by the *principal building* on a *lot* containing a *one-family residential use* shall be determined by the simultaneous consideration on each face of the *building* of both the *perimeter wall height* and the *perimeter wall area* as specified below:
 - (i) The average *perimeter wall height* of each *outermost building face*, when considering the slope of the *lot*, will be determined by the following:

(i.i)	0.00 to 1.00 % slope at each property line	6.1 metres
	1.01 to 5.00 % slope at each property line	6.4 metres
	5.01 to 10.00 % slope at each property line	6.7 metres
	10.01 to 15.00 % slope at each property line	7.0 metres
	15.01 % slope or greater	7.3 metres

- (i.ii) Parts of the *building wall* length may exceed the maximum *perimeter wall height*, but must never exceed a maximum *wall* height of 8.4 metres.
- (ii) Those parts of the *building* that extend beyond a plane formed by lines projecting inward at an angle of 45 degrees from the vertical at the respective permitted average *perimeter wall heights* as measured from grade along the lines of the *outermost building faces*, will be considered in the determination of average *perimeter wall height*. Gable ends, dormers and those parts of the *building wall* identified under Sub-section (11)(a)(i)(i.i) will not be included in the determination of average *perimeter wall height*.



(iii) The *perimeter wall area* of each *outermost building face*, when considering the slope of the *lot*, will be determined by the following:

(iii.i)	0.00 to 1.00 % slope at each property line	93 sq. metres
	1.01 to 5.00 % slope at each property line	97 sq. metres
	5.01 to 10.00 % slope at each property line	102 sq. metres
	10.01 to 15.00 % slope at each property line	107 sq. metres
	15.01 % slope or greater	110 sq. metres

- (iii.ii) The area of gable ends and dormers above the second floor that face the side property line opposite another *building* site must be counted in the calculation of *perimeter wall area*, except if the face of the gable end or dormer is set back at least 2.4 metres from the *building* face of the floor below.
- (iv) Sub-section (11)(a) does not apply to properties located in the highlighted areas shown on Schedules 'C' and 'D' to this bylaw.
- (b) The maximum length of any wall of a detached building or structure for an accessory residential use and an accessory off-street parking use is 11 metres.
- (c) A detached building or *structure* for an *accessory off-street parking use* must not contain more than three *parking spaces*.

(12) Off-Street Parking and Loading

The regulations under Part 7 of this bylaw apply.

(13) Other Regulations

- (a) Each dwelling unit in a building for duplex residential, triplex residential or fourplex residential use must be provided with access to an on-site private or common outdoor space or spaces that are defined by fences, railings, or landscaping and that have a total area not less than 37 m² per dwelling unit.
- (b) Each dwelling unit in a building for duplex residential, triplex residential and fourplex residential uses must provide an indoor enclosed storage area of not less than 3.3 m², being:
 - (i) an area with a full storey ceiling height;
 - (ii) located at ground level or at the main floor;
 - (iii) a minimum dimension of one wall being not less than 1.8 m; and
 - (iv) windowless.

- (c) Carriage house and garden cottage uses must be provided with direct access to an on-site private outdoor space that is defined by fences, railings, or landscaping and that has an area of not less than 4.0 m².
- (d) The regulations under Part 2, Part 3, Part 4, Part 5 and Part 6 of this bylaw apply.

This page is intentionally left blank

2207 RT-3 Multiplex Residential

(1) Intent

This zone provides for ground-oriented infill residential development on larger lots.

(2) Permitted Uses

Principal uses, limited to:

(a) Multiplex residential

Accessory uses, limited to:

- (a) Boarding, as limited under Sub-section 508(1)
- (b) Accessory residential
- (c) Accessory home occupation, as limited under Sub-section 508(3)
- (d) Accessory institutional support services

(3) Conditions of Use

Not applicable in this zone.

(4) Lot Size

- (a) A multiplex residential use is not permitted on a lot having an area less than:
 - (i) 930 m², except as permitted under (ii) below; or
 - (ii) 740 m², where the *lot* was rezoned to the RT-3 zone prior to July 08, 2019.

(5) Density

- (a) All buildings and structures, including those for accessory off-street parking uses and accessory residential uses, must not exceed a floor area of 0.85 times the lot area.
- (b) Notwithstanding 5(a) above, where accessory off-street parking uses are underground parking, contained within an underground structure, the floor area excludes the underground parking areas, and the underground areas contained within this underground structure used for storage, and common maintenance, mechanical, and electrical purposes.

2207 RT-3 Multiplex Residential

(6) Lot Coverage

All buildings and structures together must not exceed a lot coverage of 50%.

(7) Buildings Per Lot

(a) More than one principal building may be located on a lot.

(8) Setbacks

(a) Subject to Sections 514, 518, 519 and 523, buildings and structures for the following uses must meet the siting distance measured from the outermost limit of the building or any permitted projections (whichever is greater) from other buildings and structures where applicable, and be sited no closer than the corresponding setbacks from the lot lines set out below:

Use	Front Lot Line (metres)	Rear Lot Line (metres)	Interior Side Lot Line (metres)	Exterior Side Lot Line (metres)
Multiplex residential	4.5	6.0	1.2	3.0
Accessory residential and accessory off- street parking buildings and structures attached to or sited less than 1.6 metres from a building for residential use	4.5	6.0	1.2	3.0
Detached accessory residential and accessory off-street parking buildings and structures where sited 1.6 metres or more from a building for residential use	4.5	1.2	1.2	3.0

(b) A minimum separation distance of 6.0 metres measured from any wall face must be maintained between a principal building and any wall of all detached accessory buildings and accessory off-street parking buildings or structures.

(9) Location of Uses

(a) All detached accessory residential and detached accessory off-street parking buildings and structures must be located in the rear yard.

2207 RT-3 Multiplex Residential

(10) Height

- (a) Principal buildings and structures must not exceed a height of:
 - (i) 9.5 metres; or
 - (ii) 11.0 metres for *buildings* and *structures* having a roof slope with a pitch of 3 in 12 or greater for an area of at least 80% of all roof surfaces.
- (b) Detached buildings and structures for accessory residential or accessory off-street parking must not exceed a height, measured from finished grade, of:
 - (i) 3.7 metres; or
 - (ii) 4.6 metres, for an *accessory building* that has a roof with a pitch of 4 in 12 or greater for an area of at least 80% of all roof surfaces.

(11) Building Size

- (a) The maximum length of any wall of a detached building or structure for an accessory residential use or an accessory off-street parking use is 11.0 metres.
- (b) A detached *building* or *structure* for an *accessory off-street parking use* must not contain more than three *parking spaces*.

(12) Off-Street Parking and Loading

(a) The regulations under Part 7 apply.

(13) Other Regulations

- (a) Each dwelling unit in a building for multiplex residential use must be provided with access to an on-site private or common outdoor space or spaces that are defined by fences, railings, or landscaping and that have a total area not less than 37 m² per dwelling unit.
- (b) Each dwelling unit in a building for multiplex residential use must provide an indoor enclosed storage area of not less than 3.3 m², being:
 - (i) an area with a full storey ceiling height;
 - (ii) located at ground level or at the main floor;
 - (iii) a minimum dimension of one wall being not less than 1.8 m; and
 - (iv) windowless.
- (c) The regulations under Part 2, Part 3, Part 5, and Part 6 apply.